

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	2	("20030023665").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 10:59
L4	1	3 and configur\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 13:23
L5	605	encrypted near4 (configur\$7 near4 (packet or data or info or information or datagram))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 13:24
L6	1372	(Admin or manager or operator or administrator or management) with (send\$4 or transfer\$4 or transmit\$4 or transport\$4) with (configur\$7 near3 (data or info or inforamiton or paramater or file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 13:24
L7	297	L6 and (configur\$7 near4 (RAID or storage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 13:25
L8	6	5 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 13:25
S1	284	((group or set or list) near4 (request or transaction or task or process or command or instruction)) with ((encryption or secret) near3 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 18:17
S2	284	((group or set or list) near4 (request or transaction or task or process or command or instruction)) with ((encryption or secret) near3 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 13:01
S3	214	S2 and (storage or RAID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 12:44

S4	134	S3 and (Admin or manager or operator or administrator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 12:45
S5	38	S4 and (configuration near3 (data or info or inforamiton or request or transaction or task or process or command or instruction))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 13:00
S6	124	713/191.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 13:00
S7	0	S5 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 13:00
S8	130	((configuration) near4 (data or info or inforamiton orrequest or transaction or task or process or command or instruction)) with ((encryption or secret) near3 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 13:58
S9	5	S6 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 13:08
S10	15763	configur\$7 near4 (RAID or (storage near2 (device or element or medium or unit)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 17:38
S11	208	((configuration) near4 (data or info or inforamiton orrequest or transaction or task or process or command or instruction)) with ((Encrypt\$4 or Decrypt\$4 or secret) near3 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 13:30
S12	31	S10 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 13:20
S13	16942	configur\$7 near4 (RAID or (storage near2 (device or element or medium or unit)) or repository)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 13:29

S14	30535	configur\$7 near4 (RAID or (storage near2 (device or element or medium or unit)) or repository or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 13:30
S15	45	S11 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 13:30
S16	449	((configuration) near4 (data or info or inforamiton or paramater)) near4 (encrypt\$4 or (digita\$5 near3 (sign\$5 or signature)) or crypt\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 15:27
S17	35079	configu\$7 near3 (RAID or storage or repository)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 15:28
S18	79	S17 and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 14:02
S19	617	((configuration) near4 (data or info or inforamiton or paramater)) near4 (encod\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 14:43
S20	43	S17 and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 16:13
S21	0	S16 with (configu\$7 near3 (JBOD))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 15:27
S22	0	S16 and (configu\$7 near3 (JBOD))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 15:27
S23	568	((configurat\$7) near4 (data or info or inforamiton or paramater or file)) near4 (encrypt\$4 or (digita\$5 near3 (sign\$5 or signature or certificate)) or crypt\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 09:02

S24	35088	configur\$7 near3 (RAID or storage or repository or JBOD)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 15:28
S25	95	S23 and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 08:44
S26	15	S23 with S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 15:28
S27	40200	(RAID or storage or repository or JBOD) near4 (Admin or manager or operator or administrator or management)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 09:00
S28	1283	(Admin or manager or operator or administrator or management) with (send\$4 or transfer\$4 or transmit\$4 or transport\$4) with (configur\$7 near3 (data or info or inforamiton or paramater or file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 09:39
S29	7064	(configurat\$7) near4 (encrypt\$4 or (digita\$5 near3 (sign\$5 or signature or certificate)) or crypt\$7 or encod\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 09:38
S30	6	S27 and S28 and S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 09:03
S32	15809	configur\$7 near5 ((file or data or application or storage) near3 (server or network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 09:39
S34	1614	(configurat\$7) near5 (data or info or inforamiton or paramater or packet or file) near5 (encrypt\$4 or (digita\$5 near3 (sign\$5 or signature or certificate)) or crypt\$7 or encod\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 09:38
S35	193	S32 and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 09:39

S36	13	S28 and S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 09:39
S37	1902	configuring near4 (RAID or (storage near2 (device or element or medium or unit)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 09:49
S38	3	S37 and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 09:49
S39	1363	(Admin or manager or operator or administrator or management) with (send\$4 or transfer\$4 or transmit\$4 or transport\$4) with (configur\$7 near3 (data or info or inforamiton or paramater or file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 17:38
S40	293	S39 and (configur\$7 near4 (RAID or storage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 10:55